

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

Claims 1-9 (cancelled)

Claim 10 (currently amended): A polymer composition comprising, per 100 parts by weight:

99 to 60 parts of a styrene polymer (A), selected from the group consisting of polystyrene, acrylonitrile-butadiene-styrene copolymer (ABS) and elastomer-modified polystyrene

1 to 40 parts of (B) + (C),

(B) being a copolymer containing polyamide blocks and polyether blocks comprising essentially ethylene oxide units  $-(C_2H_4-O)-$ ,

(C) being a compatibilizer selected from the group consisting of: (C1) low-mass copolymers of styrene and of an unsaturated carboxylic acid anhydride, a copolymer of styrene and maleic anhydride having an average molar mass of between 800 and 10,000, having per copolymer 1-3 styrene units and 6-8 maleic anhydride units, (C2) a copolymer of ethylene and of an unsaturated carboxylic acid anhydride, (C3) copolymers of ethylene and of an unsaturated epoxy, ethylene/alkyl-(meth)acrylate/unsaturated epoxy terpolymer (C4) a block copolymer of polystyrene/polybutadiene/polystyrene or polystyrene/polyisoprene/polystyrene grafted by an unsaturated carboxylic acid or an unsaturated carboxylic acid anhydride or mixtures thereof, (B)/(C) having a weight ratio between 2 and 10.

Claim 11 (currently amended): A composition according to claim 10, in which (A) is comprises at least one of polystyrene and high impact polystyrene.

Claim 12 (currently amended): A composition according to claim 10, in which (A) is comprises at least one of an acrylonitrile-butadiene-styrene copolymer ABS and high impact polystyrene.

Claim 13 (currently amended): A composition according to claim 10, wherein (C) is comprises (C1) in which (C1) is comprises a copolymer of styrene and maleic anhydride having an average molar mass of between 800 and 10,000, having per copolymer 1-3 styrene units and 6-8 maleic anhydride units.

Claim 14 (currently amended): A composition according to claim 10, wherein (C) is comprises (C2) in which (C2) is comprises an ethylene-alkyl (meth)acrylate-maleic anhydride copolymer, containing from 0.2 to 10% by weight of maleic anhydride and from 0 to 40% by weight of alkyl (meth)acrylate.

Claim 15 (currently amended): A composition according to claim 10, wherein (C) is comprises (C3) in which (C3) is an ethylene/alkyl (meth)acrylate/unsaturated epoxy ~~copolymer~~ optionally terpolymer containing up to 40% by weight of alkyl(meth)acrylate and up to 10% by weight of unsaturated epoxy.

Claim 16 (currently amended): A composition according to claim 10, ~~which~~ wherein the amount of (B) + (C), is by weight, from 5 to 20 parts per 95 to 80 parts by weight of (A).

Claim 17 (currently amended): A composition according to claim 10, ~~in which~~ wherein the weight ratio (B)/(C) is between 4 and 6.

Claim 18 (previously presented): An article selected from the group consisting of film, pipe, sheets, packaging, computer casings, and telephone casings, said article comprising a composition according to claim 10.

Claim 19 (previously presented): A composition according to claim 10, wherein (C) comprises (C1).

Claim 20 (currently amended): A composition according to claim 10, wherein (C) comprises at least one of (C2) and (C3).

Claim 21 (previously presented): A composition according to claim 10, wherein (C) comprises (C3).

Claim 22 (currently amended): A composition according to claim 10, wherein (C) comprises at least one of (C4) and (C3).

Claim 23 (previously presented): A process comprising shaping a composition according to claim 10 into an article selected from the group consisting of film, pipe, sheets, packaging, computer casings, and telephone casings.

Claim 24 (currently amended): A composition according to claim 10, wherein said styrene polymer ~~(a)~~ (A) comprises an elastomer-modified polystyrene.

Claim 25 (currently amended): A composition according to claim ~~10~~ 24, wherein ~~(e)~~ (C) comprises an ethylene/alkyl(meth)acrylate-unsaturated epoxy ~~copolymer~~ terpolymer containing up to 40% by weight of alkyl(meth)acrylate and up to 30% by weight of unsaturated epoxy.

Claim 26 (currently amended): A composition according to claim 24, wherein said elastomer-modified polystyrene comprises impact polystyrene wherein the elastomer is comprises polybutadiene.

Claim 27 (currently amended): A composition according to claim 25, wherein ~~said ethylene-alkyl(meth)acrylate-maleic anhydride~~ (C) comprises ethylene-methyl acrylate-glycidyl(meth)acrylate terpolymer.

Claim 28 (currently amended): A composition according to claim 27, wherein ~~said ethylene-alkyl(meth)acrylate-maleic anhydride~~ is (C) comprises ethylene-methyl acrylate-glycidyl(meth)acrylate terpolymer the glycidyl (meth)acrylate units being present in amount of 0.1-8% by weight of said terpolymer.

Claim 29 (new): A composition according to claim 15, wherein (A) comprises an elastomer-modified polystyrene or polystyrene.

Claim 30 (new): A composition according to claim 11, wherein (C) comprises at least one of (C3) and (C1).

Claim 31 (new): A composition according to claim 11, wherein (C) comprises (C3) and (C1).

Claim 32 (new): A composition according to claim 12, wherein (C) comprises at least one of (C3) and (C1).

Claim 33 (new): A composition according to claim 29, wherein (C) comprises (C3) and (C1).

Claim 34 (new ): A composition according to claim 29, wherein (C) comprises ethylene-methyl acrylate-glycidyl(meth)acrylate terpolymer.

Claim 35 (new): A composition according to claim 29, wherein (C) comprises ethylene-methyl acrylate-glycidyl(meth)acrylate terpolymer, the glycidyl (meth)acrylate units being present in amount of 0.1 - 8% by weight of said terpolymer.

Claim 36 (new): A composition according to claim 29, wherein (A) comprises polystyrene.

Claim 37 (new): A composition according to claim 28, wherein (A) comprises polystyrene.

Claim 38 (new): A composition according to claim 30, wherein (A) comprises polystyrene.

Claim 39 (new): A composition according to claim 31, wherein (A) comprises polystyrene.

Claim 40 (new): A composition according to claim 26, wherein (C) comprises at least one of (C3) and (C1).

Claim 41 (new): A composition according to claim 26, wherein (C) comprises (C3) and (C1).

Claim 42 (new): A polymer composition consisting of per 100 parts by weight:

99 to 60 parts of a styrene polymer (A), selected from the group consisting of polystyrene, acrylonitrile-butadiene-styrene copolymer (ABS) and elastomer-modified polystyrene

1 to 40 parts of (B) + (C),

(B) being a copolymer containing polyamide blocks and polyether blocks comprising ethylene oxide units  $-(C_2H_4-O)-$ ,

(C) being a compatibilizer selected from the group consisting of: (C1) a copolymer of styrene and maleic anhydride having an average molar mass of between 800 and 10,000, having per copolymer 1-3 styrene units and 6-8 maleic anhydride units, (C2) a copolymer of ethylene and of an unsaturated carboxylic acid anhydride, (C3) ethylene/alkyl-(meth)acrylate/unsaturated epoxy terpolymer (C4) a block copolymer of polystyrene/polybutadiene/polystyrene or polystyrene/polyisoprene/polystyrene grafted by an unsaturated carboxylic acid or an unsaturated carboxylic acid anhydride or mixtures thereof, (B)/(C) having a weight ratio between 2 and 10.

Claim 43 (new): A polymer composition consisting essentially of, per 100 parts by weight:

99 to 60 parts of a styrene polymer (A), selected from the group consisting of polystyrene, acrylonitrile-butadiene-styrene copolymer (ABS) and elastomer-modified polystyrene

1 to 40 parts of (B) + (C),

(B) being a copolymer containing polyamide blocks and polyether blocks comprising

essentially ethylene oxide units  $-(C_2H_4-O)-$ ,

(C) being a compatibilizer selected from the group consisting of: (C1) a copolymer of styrene and maleic anhydride having an average molar mass of between 800 and 10,000, having 1-3 styrene units and 6-8 maleic anhydride units, (C2) a copolymer of ethylene and of an unsaturated carboxylic acid anhydride, (C3) ethylene/alkyl-(meth)acrylate/unsaturated epoxy terpolymer (C4) a block copolymer of polystyrene/polybutadiene/polystyrene or polystyrene/polyisoprene/polystyrene grafted by an unsaturated carboxylic acid or an unsaturated carboxylic acid anhydride or mixtures thereof, (B)/(C) having a weight ratio between 2 and 10.